

i-STAT CHEM8+ Calibration Verification Set B0982540

LOT L1 B09168, L2 B09162, L3 B09155, L4 B09174, L5 B09170

Exp.: 2010-11

CLEW: A18

CHEM8+		LOT	E, F, G or H				
			1	2	3	4	5
Na	mmol/L		101.1	119.0	134.2	160.6	177.9
	mEq/L		97.7-104.5	115.6-122.4	130.3-138.1	156.2-165.0	172.7-183.1
K	mmol/L		2.07	2.83	3.70	6.22	7.82
	mEq/L		1.81-2.33	2.57-3.09	3.41-3.99	5.83-6.61	7.32-8.32
TCO ₂	mmol/L		11.0	17.3	22.3	34.0	56.2
	mEq/L		4.9-17.1	8.6-26.0	16.0-28.6	28.0-40.0	47.1-65.3
iCa	mmol/L		2.219	1.405	1.180	0.740	0.264
			2.089-2.349	1.318-1.492	1.107-1.253	0.675-0.805	0.207-0.321
	mg/dL		8.88	5.62	4.72	2.96	1.06
			8.36-9.39	5.27-5.97	4.43-5.01	2.70-3.22	0.83-1.28
	mEq/L		4.44	2.81	2.36	1.48	0.53
			4.18-4.70	2.64-2.98	2.21-2.51	1.35-1.61	0.41-0.64
Glucose/ Glu	mg/dL		27.6	41.0	121.7	279.0	599.3
			18.4-36.8	34.2-47.8	109.3-134.1	250.5-307.5	531.2-667.4
	g/L		0.276	0.410	1.217	2.790	5.993
			0.184-0.368	0.342-0.478	1.093-1.341	2.505-3.075	5.312-6.674
	mmol/L		1.53	2.28	6.76	15.49	33.26
			1.02-2.04	1.90-2.65	6.06-7.45	13.90-17.07	29.49-37.04
Creatinine/ Crea	mg/dL		14.90	4.39	1.84	0.69	0.40
			12.23-17.57	3.84-4.94	1.48-2.20	0.33-1.05	0.04-0.76
	umol/L		1317.2	388.1	162.7	61.0	35.4
			1081.3-1553.0	339.4-436.7	131.0-194.3	29.3-92.7	3.7-67.0
BUN	mg/dL		159.6	69.4	11.0	5.5	2.2
			140.7-178.5	61.2-77.6	8.4-13.6	3.4-7.6	0.1-4.3
Urea	mmol/L		56.98	24.78	3.93	1.96	0.79
			50.24-63.71	21.85-27.70	2.99-4.86	1.21-2.71	0.04-1.54
	mg/dL		341.5	148.5	23.5	11.8	4.7
			301.2-381.9	131.0-166.1	17.9-29.2	7.3-16.3	0.2-9.2
	g/L		3.415	1.485	0.235	0.118	0.047
			3.012-3.819	1.310-1.661	0.179-0.292	0.073-0.163	0.002-0.092
Cl	mmol/L		75.1	76.9	89.5	108.9	121.1
	mEq/L		71.1-79.1	72.6-81.2	85.0-94.0	102.9-114.9	113.6-128.6

IVD



Manufacturer:
Abbott Point of Care Inc.
Abbott Park, IL
60064 USA

EC REP

EMERGO EUROPE
Molenstraat 15
2513 BH, The Hague
The Netherlands
Tel: +31.70.345.8570
Fax: +31.70.346.7299

i-STAT CHEM8+ Calibration Verification Set B0982540

LOT L1 B09168, L2 B09162, L3 B09155, L4 B09174, L5 B09170

Exp.: 2010-11

CLEW: A18

CHEM8+		LOT	A or B				
			1	2	3	4	5
Na	mmol/L		101.1	119.0	134.2	160.6	177.9
	mEq/L		97.7-104.5	115.6-122.4	130.3-138.1	156.2-165.0	172.7-183.1
K	mmol/L		2.07	2.83	3.70	6.22	7.82
	mEq/L		1.81-2.33	2.57-3.09	3.41-3.99	5.83-6.61	7.32-8.32
TCO ₂	mmol/L		11.2	17.5	21.6	35.0	58.0
	mEq/L		5.1-17.3	8.5-26.5	15.3-27.9	29.0-41.0	48.6-67.4
iCa	mmol/L		2.219	1.405	1.180	0.740	0.264
			2.089-2.349	1.318-1.492	1.107-1.253	0.675-0.805	0.207-0.321
	mg/dL		8.88	5.62	4.72	2.96	1.06
			8.36-9.39	5.27-5.97	4.43-5.01	2.70-3.22	0.83-1.28
	mEq/L		4.44	2.81	2.36	1.48	0.53
			4.18-4.70	2.64-2.98	2.21-2.51	1.35-1.61	0.41-0.64
Glucose/ Glu	mg/dL		27.6	41.0	121.7	279.0	599.3
			18.4-36.8	34.2-47.8	109.3-134.1	250.5-307.5	531.2-667.4
	g/L		0.276	0.410	1.217	2.790	5.993
			0.184-0.368	0.342-0.478	1.093-1.341	2.505-3.075	5.312-6.674
	mmol/L		1.53	2.28	6.76	15.49	33.26
			1.02-2.04	1.90-2.65	6.06-7.45	13.90-17.07	29.49-37.04
Creatinine/ Crea	mg/dL		14.90	4.39	1.84	0.69	0.40
			12.23-17.57	3.84-4.94	1.48-2.20	0.33-1.05	0.04-0.76
	umol/L		1317.2	388.1	162.7	61.0	35.4
			1081.3-1553.0	339.4-436.7	131.0-194.3	29.3-92.7	3.7-67.0
BUN	mg/dL		159.6	69.4	11.0	5.5	2.2
			140.7-178.5	61.2-77.6	8.4-13.6	3.4-7.6	0.1-4.3
Urea	mmol/L		56.98	24.78	3.93	1.96	0.79
			50.24-63.71	21.85-27.70	2.99-4.86	1.21-2.71	0.04-1.54
	mg/dL		341.5	148.5	23.5	11.8	4.7
			301.2-381.9	131.0-166.1	17.9-29.2	7.3-16.3	0.2-9.2
	g/L		3.415	1.485	0.235	0.118	0.047
			3.012-3.819	1.310-1.661	0.179-0.292	0.073-0.163	0.002-0.092
Cl	mmol/L		75.1	76.9	89.5	108.9	121.1
	mEq/L		71.1-79.1	72.6-81.2	85.0-94.0	102.9-114.9	113.6-128.6

022241-01 01
722241-01C
11-Jan-2010

