

i-STAT CHEM8+ Level 3 Control

LOT B09174

Exp.: 2010-11

CLEW: A18

CHEM8+	LOT	E, F, G or H	
		\bar{x} (Mean)	R (Range)
Na	mmol/L, mEq/L	161	156-166
K	mmol/L, mEq/L	6.2	5.7-6.7
iCa	mmol/L	0.74	0.66-0.82
	mg/dL	3.0	2.6-3.3
	mEq/L	1.5	1.3-1.6
TCO ₂	mmol/L, mEq/L	34.0	27.9-40.1
Glucose/Glu	mg/dL	279	237-321
	g/L	2.79	2.37-3.21
	mmol/L	15.5	13.2-17.8
Creatinine/Crea	mg/dL	0.7	0.3-1.1
	umol/L	61	26-96
	mmol/L, mEq/L	109	103-115
Cl	mmol/L, mEq/L	109	103-115
BUN	mg/dL	6	4-8
Urea	mmol/L	2.0	1.2-2.7
	mg/dL	12	7-16
	g/L	0.12	0.07-0.16

CHEM8+	LOT	A or B	
		\bar{x} (Mean)	R (Range)
Na	mmol/L, mEq/L	161	156-166
K	mmol/L, mEq/L	6.2	5.7-6.7
iCa	mmol/L	0.74	0.66-0.82
	mg/dL	3.0	2.6-3.3
	mEq/L	1.5	1.3-1.6
TCO ₂	mmol/L, mEq/L	35.0	28.9-41.1
Glucose/Glu	mg/dL	279	237-321
	g/L	2.79	2.37-3.21
	mmol/L	15.5	13.2-17.8
Creatinine/Crea	mg/dL	0.7	0.3-1.1
	umol/L	61	26-96
	mmol/L, mEq/L	109	103-115
Cl	mmol/L, mEq/L	109	103-115
BUN	mg/dL	6	4-8
Urea	mmol/L	2.0	1.2-2.7
	mg/dL	12	7-16
	g/L	0.12	0.07-0.16

IVD



EC REP

EMERGO EUROPE
Molenstraat 15
2513 BH, The Hague
The Netherlands
Tel: +31.70.345.8570
Fax: +31.70.346.7299

022244-01 01
722244-01B
11-Jan-2010



Manufacturer:
Abbott Point of Care Inc.
Abbott Park, IL
60064 USA