

i-STAT CHEM8+ Calibration Verification Set B0831204

LOT L1 B08303, L2 B08281, L3 B08312, L4 B08310, L5 B08304

Exp.: 2010-04

CLEW: A18

CHEM8+		LOT	E, F, G or H				
			1	2	3	4	5
Na	mmol/L		100.5	119.4	134.8	160.8	177.3
	mEq/L		97.1-103.9	116.0-122.8	130.9-138.7	156.4-165.2	172.1-182.5
K	mmol/L		2.06	2.85	3.70	6.23	7.79
	mEq/L		1.80-2.32	2.59-3.11	3.41-3.99	5.84-6.62	7.29-8.29
TCO ₂	mmol/L		11.1	17.0	21.4	34.6	58.2
	mEq/L		5.0-17.2	8.0-26.0	15.1-27.7	28.6-40.6	48.8-67.6
iCa	mmol/L		2.170	1.402	1.234	0.732	0.281
			2.040-2.300	1.315-1.489	1.157-1.311	0.667-0.797	0.224-0.338
	mg/dL		8.68	5.61	4.94	2.93	1.12
			8.16-9.20	5.26-5.96	4.63-5.24	2.67-3.19	0.90-1.35
	mEq/L		4.34	2.80	2.47	1.46	0.56
			4.08-4.60	2.63-2.98	2.31-2.62	1.33-1.59	0.45-0.68
Glucose/ Glu	mg/dL		27.6	41.0	121.7	279.0	599.3
			18.4-36.8	34.2-47.8	109.3-134.1	250.5-307.5	531.2-667.4
	g/L		0.276	0.410	1.217	2.790	5.993
			0.184-0.368	0.342-0.478	1.093-1.341	2.505-3.075	5.312-6.674
	mmol/L		1.53	2.28	6.76	15.49	33.26
			1.02-2.04	1.90-2.65	6.06-7.45	13.90-17.07	29.49-37.04
Creatinine/ Crea	mg/dL		14.54	4.39	1.84	0.69	0.40
			11.94-17.14	3.84-4.94	1.48-2.20	0.33-1.05	0.04-0.76
	umol/L		1285.3	388.1	162.7	61.0	35.4
			1055.2-1515.5	339.4-436.7	131.0-194.3	29.3-92.7	3.7-67.0
BUN	mg/dL		156.9	68.4	11.0	5.4	2.1
			138.4-175.4	60.3-76.5	8.4-13.6	3.3-7.5	0.0-4.2
Urea	mmol/L		56.01	24.42	3.93	1.93	0.75
			49.39-62.63	21.53-27.31	2.99-4.86	1.18-2.68	0.00-1.50
	mg/dL		335.8	146.4	23.5	11.6	4.5
			296.1-375.5	129.1-163.7	17.9-29.2	7.1-16.1	0.0-9.0
	g/L		3.358	1.464	0.235	0.116	0.045
			2.961-3.755	1.291-1.637	0.179-0.292	0.071-0.161	0.000-0.090
Cl	mmol/L		74.2	76.8	90.7	108.6	121.1
	mEq/L		70.2-78.2	72.5-81.1	86.2-95.2	102.6-114.6	113.6-128.6

IVD



Manufacturer:
Abbott Point of Care Inc.
Abbott Park, IL
60064 USA

EC REP

EMERGO EUROPE
Molenstraat 15
2513 BH, The Hague
The Netherlands
Tel: +31.70.345.8570
Fax: +31.70.346.7299

i-STAT CHEM8+ Calibration Verification Set B0831204

LOT L1 B08303, L2 B08281, L3 B08312, L4 B08310, L5 B08304

Exp.: 2010-04

CLEW: A18

CHEM8+		LOT	A or B				
			1	2	3	4	5
Na	mmol/L		100.5	119.4	134.8	160.8	177.3
	mEq/L		97.1-103.9	116.0-122.8	130.9-138.7	156.4-165.2	172.1-182.5
K	mmol/L		2.06	2.85	3.70	6.23	7.79
	mEq/L		1.80-2.32	2.59-3.11	3.41-3.99	5.84-6.62	7.29-8.29
TCO ₂	mmol/L		11.3	17.2	20.7	35.3	59.5
	mEq/L		5.2-17.4	8.0-26.4	14.4-27.0	29.3-41.3	49.9-69.1
iCa	mmol/L		2.170	1.402	1.234	0.732	0.281
			2.040-2.300	1.315-1.489	1.157-1.311	0.667-0.797	0.224-0.338
	mg/dL		8.68	5.61	4.94	2.93	1.12
			8.16-9.20	5.26-5.96	4.63-5.24	2.67-3.19	0.90-1.35
	mEq/L		4.34	2.80	2.47	1.46	0.56
			4.08-4.60	2.63-2.98	2.31-2.62	1.33-1.59	0.45-0.68
Glucose/ Glu	mg/dL		27.6	41.0	121.7	279.0	599.3
			18.4-36.8	34.2-47.8	109.3-134.1	250.5-307.5	531.2-667.4
	g/L		0.276	0.410	1.217	2.790	5.993
			0.184-0.368	0.342-0.478	1.093-1.341	2.505-3.075	5.312-6.674
	mmol/L		1.53	2.28	6.76	15.49	33.26
			1.02-2.04	1.90-2.65	6.06-7.45	13.90-17.07	29.49-37.04
Creatinine/ Crea	mg/dL		14.54	4.39	1.84	0.69	0.40
			11.94-17.14	3.84-4.94	1.48-2.20	0.33-1.05	0.04-0.76
	umol/L		1285.3	388.1	162.7	61.0	35.4
			1055.2-1515.5	339.4-436.7	131.0-194.3	29.3-92.7	3.7-67.0
BUN	mg/dL		156.9	68.4	11.0	5.4	2.1
			138.4-175.4	60.3-76.5	8.4-13.6	3.3-7.5	0.0-4.2
Urea	mmol/L		56.01	24.42	3.93	1.93	0.75
			49.39-62.63	21.53-27.31	2.99-4.86	1.18-2.68	0.00-1.50
	mg/dL		335.8	146.4	23.5	11.6	4.5
			296.1-375.5	129.1-163.7	17.9-29.2	7.1-16.1	0.0-9.0
	g/L		3.358	1.464	0.235	0.116	0.045
			2.961-3.755	1.291-1.637	0.179-0.292	0.071-0.161	0.000-0.090
Cl	mmol/L		74.2	76.8	90.7	108.6	121.1
	mEq/L		70.2-78.2	72.5-81.1	86.2-95.2	102.6-114.6	113.6-128.6

022245-01 01
722245-01C
11-Jan-2010

