


Hematocrit Level 1 Control

LOT B09168

 Exp.: 2011-05

CLEW: A20/C20


CG8+ , EG7+ & EG6+			LOT	C, M, P, R, S or T	
			\bar{x}	(Mean)	R (Range)
HCT	K ₃ EDTA	%		17.6	14.6-20.6
	K ₂ EDTA			18.3	15.2-21.5

EC8+ , 6+ , EC4+ and E3+			LOT	A, B, C, D or E	
			\bar{x}	(Mean)	R (Range)
HCT	K ₃ EDTA	%		18.4	15.4-21.4
	K ₂ EDTA			19.2	16.1-22.3

EC8+ , 6+ , EC4+ , E3+ & G			LOT	F, G, H, J or K	
			\bar{x}	(Mean)	R (Range)
HCT	K ₃ EDTA	%		18.3	15.3-21.3
	K ₂ EDTA			19.1	16.0-22.2

Hematocrit Level 1 Control

LOT B09168

 Exp.: 2011-05

CLEW: A20

CHEM8+			LOT	A, B, E, F, G or H	
			\bar{x}	(Mean)	R (Range)
HCT	K ₃ EDTA	%		17.8	14.8-20.8
	K ₂ EDTA			18.6	15.4-21.7

CHEM8+			LOT	C or D	
			\bar{x}	(Mean)	R (Range)
HCT	K ₃ EDTA	%		17.7	14.7-20.7
	K ₂ EDTA			18.5	15.3-21.6


IVD



EC REP

EMERGO EUROPE
 Molenstraat 15
 2513 BH, The Hague
 The Netherlands
 Tel: +31.70.345.8570
 Fax: +31.70.346.7299

026749-01 01
 726749-01A
 26-Apr-2010

 Manufacturer:
 RNA Medical
 Division of Bionostics, Inc.
 Devens, MA 01434