

i-STAT Level 1 Control

LOT B09169

Exp.: 2010-11

**CLEW: A20/C20**

CG8+, EG7+, EG6+, G3+, Crea & CG4+		LOT	A, B, C, D, E, K, M, P, R, S or T	
		$\bar{x}$	(Mean)	R (Range)
Na	mmol/L, mEq/L	120		116-125
K	mmol/L, mEq/L	2.9		2.6-3.2
iCa	mmol/L	1.45		1.34-1.56
	mg/dL	5.8		5.4-6.3
	mEq/L	2.9		2.7-3.1
pH		7.182		7.132-7.232
PCO <sub>2</sub>	mm Hg	61.4		53.4-69.4
	kPa	8.18		7.12-9.25
PO <sub>2</sub>	mm Hg	88		73-103
	kPa	11.7		9.7-13.7
Glucose/Glu	mg/dL	41		32-50
	g/L	0.41		0.32-0.50
Creatinine/Crea	mmol/L	2.3		1.8-2.7
	mg/dL	4.2		3.4-5.0
Lactate/Lac	umol/L	373		302-444
	mmol/L	7.80		6.88-8.72
	mg/dL	70.3		62.0-78.6
	g/L	0.703		0.620-0.786

EC8+, 6+, EC4+, E3+ & G		LOT	A, B, C, D or E	
		$\bar{x}$	(Mean)	R (Range)
Na	mmol/L, mEq/L	120		115-124
K	mmol/L, mEq/L	2.8		2.5-3.1
Cl	mmol/L, mEq/L	77		72-82
pH		7.174		7.124-7.224
PCO <sub>2</sub>	mm Hg	59.1		51.1-67.1
	kPa	7.88		6.82-8.95
Glucose/Glu	mg/dL	42		33-51
	g/L	0.42		0.33-0.51
	mmol/L	2.3		1.9-2.8
BUN	mg/dL	52		45-59
Urea	mmol/L	18.7		16.2-21.2
	mg/dL	112		97-127
	g/L	1.12		0.97-1.27

IVD



CE

Manufacturer:  
Abbott Point of Care Inc.  
Abbott Park, IL  
60064 USA

EC REP

EMERGO EUROPE  
Molenstraat 15  
2513 BH, The Hague  
The Netherlands  
Tel: +31.70.345.8570  
Fax: +31.70.346.7299

026781-01 01  
726781-01A  
16-Jun-2010

**Abbott**

i-STAT Level 1 Control

LOT B09169

Exp.: 2010-11

**CLEW: A20/C20**

EC8+, 6+, EC4+, E3+ & G		LOT	F, G, H, J or K
		$\bar{x}$ (Mean)	R (Range)
Na	mmol/L, mEq/L	120	115-124
K	mmol/L, mEq/L	2.8	2.5-3.1
Cl	mmol/L, mEq/L	77	72-82
pH		7.131	7.081-7.181
PCO <sub>2</sub>	mm Hg	70.6	62.6-78.6
	kPa	9.40	8.34-10.47
Glucose/Glu	mg/dL	40	31-49
	g/L	0.40	0.31-0.49
BUN	mmol/L	2.2	1.8-2.7
	mg/dL	63	56-70
Urea	mmol/L	22.4	19.9-24.9
	mg/dL	134	119-149
	g/L	1.34	1.19-1.49

IVD



CE

Manufacturer:  
Abbott Point of Care Inc.  
Abbott Park, IL  
60064 USA

EC REP

EMERGO EUROPE  
Molenstraat 15  
2513 BH, The Hague  
The Netherlands  
Tel: +31.70.345.8570  
Fax: +31.70.346.7299

026781-01 01  
726781-01A  
16-Jun-2010

Abbott