

i-STAT Level 3 Control

LOT B09167

 Exp.: 2010-11


CLEW: A20/C20

CG8+, EG7+, EG6+, G3+, Crea & CG4+		LOT	A, B, C, D, E, K, M, P, R, S or T	
		\bar{x}	(Mean)	R (Range)
Na	mmol/L, mEq/L	162		157-167
K	mmol/L, mEq/L	6.3		5.7-6.8
iCa	mmol/L	0.77		0.69-0.85
	mg/dL	3.1		2.8-3.4
	mEq/L	1.5		1.4-1.7
pH		7.688		7.638-7.738
PCO ₂	mm Hg	19.4		13.4-25.4
	kPa	2.59		1.79-3.39
PO ₂	mm Hg	147		129-165
	kPa	19.5		17.1-21.9
Glucose/Glu	mg/dL	282		240-324
	g/L	2.82		2.40-3.24
	mmol/L	15.6		13.3-18.0
Creatinine/Crea	mg/dL	0.6		0.2-1.0
	umol/L	52		17-88
Lactate/Lac	mmol/L	0.85		0.35-1.35
	mg/dL	7.7		3.2-12.2
	g/L	0.077		0.032-0.122

EC8+, 6+, EC4+, E3+ & G		LOT	A, B, C, D or E	
		\bar{x}	(Mean)	R (Range)
Na	mmol/L, mEq/L	159		154-164
K	mmol/L, mEq/L	6.2		5.7-6.7
Cl	mmol/L, mEq/L	115		109-121
pH		7.696		7.646-7.746
PCO ₂	mm Hg	17.5		11.5-23.5
	kPa	2.33		1.53-3.13
Glucose/Glu	mg/dL	283		241-325
	g/L	2.83		2.41-3.25
	mmol/L	15.7		13.4-18.0
BUN	mg/dL	5		3-7
Urea	mmol/L	1.9		1.1-2.6
	mg/dL	11		7-15
	g/L	0.11		0.07-0.15

IVD



 Manufacturer:
Abbott Point of Care Inc.
Abbott Park, IL
60064 USA

EC REP

EMERGO EUROPE
Molenstraat 15
2513 BH, The Hague
The Netherlands
Tel: +31.70.345.8570
Fax: +31.70.346.7299

026783-01 01
726783-01A
16-Jun-2010



i-STAT Level 3 Control

LOT B09167

Exp.: 2010-11

CLEW: A20/C20

EC8+, 6+, EC4+, E3+ & G		LOT	F, G, H, J or K
		\bar{x} (Mean)	R (Range)
Na	mmol/L, mEq/L	161	156-166
K	mmol/L, mEq/L	6.2	5.7-6.7
Cl	mmol/L, mEq/L	110	104-116
pH		7.635	7.585-7.685
<i>PCO₂</i>	mm Hg	25.6	19.6-31.6
	kPa	3.41	2.61-4.21
Glucose/Glu	mg/dL	283	241-325
	g/L	2.83	2.41-3.25
	mmol/L	15.7	13.4-18.0
BUN	mg/dL	5	3-7
Urea	mmol/L	1.9	1.1-2.6
	mg/dL	11	7-15
	g/L	0.11	0.07-0.15

IVD



Manufacturer:
Abbott Point of Care Inc.
Abbott Park, IL
60064 USA

EC REP

EMERGO EUROPE
Molenstraat 15
2513 BH, The Hague
The Netherlands
Tel: +31.70.345.8570
Fax: +31.70.346.7299

026783-01 01
726783-01A
16-Jun-2010

